



Effective Date: 14 March 2005

Revision Date: 12 July 2005

Revision: 001

## **ROTO-BRITE® XL-1231 TECHNICAL DATA SHEET**

---

### **CORROSION INHIBITOR FOR USE ON FERROUS METALS**

#### **APPLICATION:**

ROTO-BRITE® XL-1231 is a corrosion inhibitor developed to give long-term corrosion protection on sintered and cast iron. Product provides excellent corrosion protection with good cleaning, low foam and good burnish. ROTO-BRITE® XL-1231 is safe for use with all metals except zinc. Recommended usage rate is 1 - 3 ounces per gallon of water.

#### **CHARACTERISTICS:**

- Cleans most light machine oils and is very effective on hard oils
- Provides excellent corrosion protection for all metals
- Can be used with ceramic, plastic or steel media
- Provides good burnish and good feed with steel
- Protects chrome abcut from rusting
- Moderate to low foam

#### **PROPERTIES:**

- Reactivity: pH of 1% solution = 7.5; pH of 100% solution is 8.5
- Specific gravity is 1.057
- Biodegradable and does not contain chromates, nitrates, nitrites, or phosphates.

#### **FIRST AID:**

Should contact occur, wash with soap and water. For eyes, flush with water and seek medical attention immediately.

#### **CAUTION:**

ROTO-BRITE® XL-1231 is a concentrated, industrial-grade product. Avoid excessive contact with skin, eyes or clothing.

The data presented are believed accurate. Roto-Finish Company, Inc. can guarantee only its product. User must verify suitability to his own application.

KJE:dd 1/11/05

---



1600 Douglas Avenue • Kalamazoo, MI 49007  
(269) 345-7151 • FAX (269) 345-1710  
[SALES@ROTO-FINISH.COM](mailto:SALES@ROTO-FINISH.COM) • [WWW.ROTO-FINISH.COM](http://WWW.ROTO-FINISH.COM)

