



Effective Date: 14 March 2005
Revision Date: 12 July 2005
Revision: 001

ROTO-BRITE® XL-1295 TECHNICAL DATA SHEET

ALKALINE CLEANING COMPOUND

APPLICATION:

ROTO-BRITE® XL-1295 is a highly alkaline, heavy duty, industrial grade cleaner designed to remove tenacious oils and greases as well as stubborn die releases. XL-1295 has excellent surface prep capabilities for follow-up adhesion processes such as paint, plate, or general gasket adhesion. ROTO-BRITE XL-1295 is generally used at 1-4 ounces per gallon of water depending upon the level of soil to be removed. Performs well with ceramic, plastic, or steel media and generates medium to high foam levels.

CHARACTERISTICS:

- Cuts most oils easily
- Unaffected by water hardness
- Completely biodegradable
- Excellent cleaning in ceramic, plastic or steel media
- Medium to high foam level

PROPERTIES:

- Lavender liquid, odorless
- Reactivity: pH at 100% = 13.4 pH at 1% = 11.05
- Density = 1.10 gm/cc; 9.13 lbs/Gal
- Does not contain phosphates, chromates, nitrates, or nitrites

FIRST AID:

Should contact occur, wash with plenty of water. For eyes, flush with water and seek medical attention immediately.

CAUTION:

Exercise care when handling this product. It is highly alkaline, hence contact with eyes and mouth should be avoided. Excessive contact with skin should also be avoided. Wash with soap and water after contact.

The data presented are believed accurate. Roto-Finish Company, Inc. can guarantee only its product. User must verify suitability to his own application.

KJE:dd 3/14/05



1600 Douglas Avenue • Kalamazoo, MI 49007
(269) 345-7151 • FAX (269) 345-1710
SALES@ROTO-FINISH.COM • WWW.ROTO-FINISH.COM

