

GIBSON PARTS & EQUIPMENT
AIR & AIRLESS BLAST
Tumble Blasters



DISTRIBUTED BY
CRW FINISHING, INC.
1470 W. Jeffrey Drive
Addison, IL 60101
630-495-4994

Gibson 1.5 cu. ft. AIR BLAST Tumble Blast

Ideal for cell stations & small batch loads



- (2) Oscillating Nozzles
- Cyclone Separator
- AR400 Barrelhead Liner
- AR Rubber Lined Metal Front Door
- Mill Drive Motor with Current Sensor for Mill Jam Protection
- Hour Meter, Push Button Door, Dial Timer, Pneumatic Locking Door

Gibson 2.5 cu. ft. AIR BLAST Tumble Blast

Ideal for cell stations & small batch loads



- (4) Oscillating Nozzles
- Cyclone Separator
- AR400 Barrelhead Liner and Cabinet Liners
- AR Rubber Lined Metal Front Door
- Mill Drive Motor with Current Sensor for Mill Jam Protection
- Hour Meter, Push Button Door, Dial Timer, Pneumatic Locking Door

Gibson 3.0 cu. ft. AIR BLAST Tumble Blast

Ideal for cell stations & small batch loads



- (4) Oscillating Nozzles
- Cyclone Separator
- AR400 Barrelhead Liner and Cabinet Liners
- AR Rubber Lined Metal Front Door
- Mill Drive Motor with Current Sensor for Mill Jam Protection
- Hour Meter, Push Button Door, Dial Timer, Pneumatic Locking Door

Gibson 1.5 cu. ft. Tumble Blast

Versatile, ideal for cell stations & small batch loads -- Our Most Popular



(1) 5 Hp Direct Drive Blast Wheel
1.5 cu. ft. or 200 lb. Load Capacity
Continuous Molded Rubber Belt
Mill Drive Motor with
Current Sensor for Mill Jam Protection
Reversing Mill * Mill Bypass
Automatic Timer Controls
Low Profile Design

Options:

Rotary Scalping Screen
Air Powered Vertical Door
Variable Frequency Drive Blast Wheel
Mill Delay Timer

Gibson 2.5 cu. ft. Tumble Blast



(1) 5 Hp Direct Drive Blast Wheel
2.5 cu. ft. or 350 lb. Load Capacity
Continuous Molded Rubber Belt
Mill Drive Motor with-
Current Sensor for Mill Jam Protection
Reversing Mill * Mill Bypass
Automatic Timer Controls *10" Airwash

Options:

Rotary Scalping Screen
Air Powered Vertical Door
Variable Frequency Drive Blast Wheel
Mill Delay Timer

Gibson 3 cu. ft. Tumble Blast

Easy Elevator Belt Change



(1) 7.5 Hp Direct Drive Blast Wheel
3 cu. ft. or 400 lb. Load Capacity
Continuous Molded Rubber Belt
Variable Speed Mill
Mill Drive Motor with
Current Sensor for Mill Jam Protection
Reversing Mill * Mill Bypass
Automatic Timer Controls

Gibson 6 cu. ft. Tumble Blast



(1) 15 Hp Direct Drive Blast Wheel
6 cu. ft. or 800 lb. Load Capacity
Mill Drive Motor with
Current Sensor for Mill Jam Protection
Reversing Mill * Mill Bypass
Cast Barrelhead Liners
Low Level Sensor & Indicator Light

Options:
Rotary Screen
Auto Abrasive Adder Hopper
Variable Frequency Drive Blast Wheel

Gibson 12 cu. ft. Tumble Blast



(1) 20 Hp Direct Drive Blast Wheel
12 cu. ft. or 1600 lb. Load Capacity
Mill Drive Motor with
Current Sensor for Mill Jam Protection
Reversing Mill * Mill Bypass
Cast Barrelhead Liners
Low Level Sensor & Indicator Light

Options:
Rotary Screen
Auto Abrasive Adder Hopper
Variable Frequency Drive Blast Wheel

Gibson 24 cu. ft. Tumble Blast



(2) 15 Hp Direct Drive Blast Wheel (20HP Available)
24 cu. ft. or 3000 lb. Load Capacity
Mill Drive Motor with
Current Sensor for Mill Jam Protection
Reversing Mill * Mill Bypass
Cast Barrelhead Liners
Rotary Screen - Low Level Sensor & Indicator Light

Options:
Auto Abrasive Adder Hopper
Variable Frequency Drive Blast Wheel